

ADG 158

Doosan
Mecc Alte
D+ & "



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	
2000/14/EC	&\$\$#/(#

! ž \$ < nž7cg 1 \$ž

	"	"	"	"	
400/230	158.00	126.00	143.00	114.00	206.00

fP GDŁ

GC ;) &

GC ;) & ž

fDF DŁ

%\$!

%

%&

ž& (GC " \$(*"

ENGINE

ALTERNATOR

WISE ACCESSORIES

CONTROL SYSTEM

ADG 158

Doosan
Mecc Alte
D+ &

Manufacturer		Doosan
	1500 d/dk	% % \$ " Q DQ
	L	191.0000
		111 x 139
		10,5 : 1
	fl # t rpm	1500
Fuel Consumption	m ³ /h.	31,8
Gas Pressure	mbar	70 - 300
Oil Capacity	L	23
Absorbed Air Discharge	m ³ /dk.	618
Disposal Air	m ³ /san	3,50
	m ³ /dk.	990
	° C	540


Manufacturer		Mecc Alte
		ECP34 - 2L
	"	150
Cos fi		0,80
		3
		400/230
5_ia	A	216

	"	"	"	"
	1700	2800	1150	1920
	"	"	"	"
AK 61	3050	4000	1353	1882

ADG 158

Doosan
Mecc Alte
D+ &

• D+ &



• Devices

"8G9ž + &\$ž) 5ž&&\$#(\$

• Structure And Paint

• Montage

• Generator Control Unit

"8G9+' &\$ž &) \$ ž "8G9+' &\$ž "8G9+' &\$ž "8G9+' &\$ž

% &l '*(' žFG' &žFG(,)ž

ADG 158

Doosan
Mecc Alte
D+ &

Indicator

f@z@Bt
f@%&!@t

"z" "z" "z"

f@z@Bt

Protection

971

#

#

#

#

Optional Properties

f&) (, t
f&%) +t
f&% \$t

Standards

6G'9B '*\$-) '\$

6G'9B '*%\$\$\$!*&'

6G'9B '*%\$\$\$!*('

#

Electronic Charge Equipment

" % , !&* \$ "

) z z
&(\$) z "

GA 8

!&(" z

ADG 158

Doosan
Mecc Alte
D+ &''

5? *%!'

1

fl \$\$! %\$\$ E

ž ž

1

ž ž ž ž

&\$\$#/# "

		AK 61
	mm.	1353
	mm.	4000
	mm.	1882